

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	18	storage with clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 16:10
S2	0	storage with clock adj data adj recovery with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 14:00
S3	151	storage with (circuit or unit) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 14:02
S4	1425	storage with (circuit or unit) with data adj rateand clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:46
S5	1	storage with (circuit or unit) with data adj rate and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 14:03
S6	151	storage with (circuit or unit or integrated adj circuit) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 15:17
S7	2	storage with (circuit or unit or integrated adj circuit) with (data adj rate or transmission adj rate) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 15:18
S8	30	serial\$5 same parallel same ((series or sequence) with data) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 16:24
S9	32	(serial\$5 or convert\$3) same parallel same ((series or sequence) with data) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:06
S10	1	(serial\$5 or convert\$3) same parallel same ((series or sequence) with data) and clock adj data adj recovery and driver with data adj path	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:09
S11	0	(serial\$5 or convert\$3) same parallel same ((series or sequence) with data) and clock adj data adj recovery and output adj driver with data adj path	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:06

S12	2	(serial\$5 or convert\$3) same parallel with select\$3 with bits\$3 with data adj rateand clock adj data adj recovery and driver with data adj path	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:10
S13	0	(serial\$5 or convert\$3) same parallel with select\$3 with bits\$3 with data adj rate and clock adj data adj recovery and driver with data adj path	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:09
S14	0	(serial\$5 or convert\$3) same parallel with select\$3 with bits\$3 same data adj rate and clock adj data adj recovery and driver with data adj path	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:10
S15	0	(serial\$5 or convert\$3) same parallel with select\$3 with (bits\$3 or word\$3 or sample\$3) same data adj rate and clock adj data adj recovery and driver with data adj path	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:12
S16	0	(serial\$5 or convert\$3) same parallel with select\$3 with (bits\$3 or word\$3 or sample\$3) same data adj rate and clock adj data adj recovery and driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:12
S17	3	(serial\$5 or convert\$3) same parallel same select\$3 with (bits\$3 or word\$3 or sample\$3) same data adj rate and clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:47
S18	6	(serial\$5 or convert\$3) same parallel and select\$3 with (bits\$3 or word\$3 or sample\$3) same data adj rate and clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:26
S19	72	(serial\$5 or convert\$3) same parallel and select\$3 with (bits\$3 or word\$3 or sample\$3) and clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:35
S20	4	(serial\$5 or convert\$3) same parallel and (select\$3 or choos\$3 or group\$3) with (bits\$3 or word\$3 or sample\$3) same clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:58
S21	1221	(serial\$5 or convert\$3) same parallel and (select\$3 or choos\$3 or group\$3) with (bits\$3 or word\$3 or sample\$3) same ((transmission or data) adj rate) clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:36

S22	6	(serial\$5 or convert\$3) same parallel and (select\$3 or choos\$3 or group\$3) with (bit\$3 or word\$3 or sample\$3) same ((transmission or data) adj rate) and clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:39
S23	12	(select\$3 or choos\$3 or group\$3) with (bit\$3 or word\$3 or sample\$3) same ((transmission or data) adj rate) same clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:45
S24	25	(select\$3 or choos\$3 or group\$3) with (bit\$3 or word\$3 or sample\$3) with ((transmission or data) adj rate) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 17:41
S25	93	(serial\$5 or convert\$3) same parallel and clock adj data adj recovery and output adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 18:03
S26	16	(serial\$5 or convert\$3) same parallel same output adj driver and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 18:10
S27	75	select\$3 with data adj (bit\$2 or sample\$3 or word\$3) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 18:10
S28	34	select\$3 with data adj (bit\$2 or sample\$3 or word\$3) and clock adj data adj recovery and (serializer) or (serial with parallel with (convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/29 18:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	data adj rate with storage same clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 10:58
S2	15	data adj rate with storage and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:00
S3	28	data adj rate with stor\$3 and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:00
S4	4	data adj rate near\$ stor\$3 and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:01
S5	46	data adj rate with (stor\$3 or buffer or register\$3) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:02
S6	9	data adj rate with (stor\$3 or buffer or register\$3) and clock adj data adj recovery and (command or control) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:12
S7	11	(stor\$3 or buffer\$5 or register\$3 or look adj up adj table\$3) with (data adj rate) and clock adj data adj recovery and (command or control) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:13
S8	61	(stor\$3 or buffer\$5 or register\$3 or look adj up adj table\$3) with (data adj rate) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:19
S9	10	(stor\$3 or buffer\$5 or register\$3 or look adj up adj table\$3) near\$3 (data adj rate) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:21
S10	1	(stor\$3 or buffer\$5 or register\$3 or look adj up adj table\$3) with clock adj data adj recovery same (data adj rate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:22
S11	4	(stor\$3 or buffer\$5 or register\$3 or look adj up adj table\$3) with couple\$3 with clock adj data adj recovery and (data adj rate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:22

Search History 5/31/2005 6:30:07 AM Page 1
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_2.wsp

S12	695	select\$4 with data adj rate and clock with data with (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:23
S13	38	select\$4 with sample\$4 with data adj rate and clock with data with (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:23
S14	47	select\$4 with sampl\$4 with data adj rate and clock with data with (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:23
S15	8	select\$4 with sampl\$4 with data adj rate and clock adj data adj\$5 (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:24
S16	87	(stor\$4 or buffer\$4 or look adj1 up adj1 table or register\$3) with data adj rate and clock adj data adj\$5 (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 11:25
S17	39	(stor\$4 or buffer\$4 or look adj1 up adj1 table or register\$3) with data adj rate and clock adj data adj\$5 (recovery or synchroniz\$5) and phase adj (detect\$3 or comparat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:31
S18	331	serializ\$4 with parallel with serial and sample\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:32
S19	680253	serializ\$4 with parallel with serial and select\$3 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:33
S20	44	serializ\$4 with parallel with serial and select\$3 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:33
S21	0	serializ\$4 with parallel with serial and select\$3 with data adj rate with outbound	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:48
S22	36	select\$3 with data adj state with transition	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:48
S23	3	select\$3 with data adj state with transition with sample\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:48

Search History 5/31/2005 6:30:07 AM Page 2
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_2.wsp

S24	0	select\$3 with data adj state with transition with sample\$3 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:49
S25	0	select\$3 with data adj state with transition with sample\$3 same data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:49
S26	0	select\$3 with data adj state with transition with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:49
S27	158668	select\$3 with data adj state with transition same data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:49
S28	0	select\$3 with data adj state with transition same data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:49
S29	2	select\$3 with data adj state with transition and data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:50
S30	377	select\$3 with state with transition and data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:50
S31	3	select\$3 with state with transition with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/27 13:50

Search History 5/31/2005 6:30:07 AM Page 3
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_2.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	108	(multiple or plurality) with (sample\$3) and (select\$4 or mux or multiplexor) with (sample\$3) with (two or plurality or dual or multiple) with (output) and (phase adj (detect\$3 or comparat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:24
S2	2	(multiple or plurality) with (sample\$3) and (select\$4 or mux or multiplexor) with (sample\$3) with (two or plurality or dual or multiple) with (output) with (data adj rate) and (phase adj (detect\$3 or comparat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:24
S3	2	(multiple or plurality) with (sample\$3) and (select\$4 or mux or multiplexor) with (sample\$3) with (two or plurality or dual or multiple) with (output) with (data adj rate) and (phase adj (detect\$3 or comparat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:31
S4	901	sample\$3 with (input adj signal) with (clock adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:31
S5	13	S4 and (select\$3 or choos\$3 or mux or multiplexor) with (sample\$3) same (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:39
S6	3	S4 and (multiple or plurality) with (mux or multiplexor or select\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:37
S7	4	S4 and (multiple or plurality) with (mux or multiplexor or select\$3) same (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:33
S8	1	S5 and (phase adj (detect\$3 or comparat\$3 or control adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 13:34

Search History 5/31/2005 6:31:56 AM Page 1
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S9	3	S4 and (select\$3 or choos\$3 or mux or multiplexor) with (sample\$3) same (data adj rate) and (phase) with (compar\$5 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 14:25
S10	10	clock adj recovery and sample\$3 and (select\$3 or choos\$3 or detect\$3) with (data adj rate) with sample\$3 and phase adj (detect\$4 or comparat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 14:45
S11	11	(select\$3 or choos\$3 or detect\$3) with (data adj rate) with (plurality or multiple\$3) with sample\$3 and phase adj (detect\$4 or comparat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 14:47
S12	7	(select\$3 or choos\$3 or detect\$3) with (data near\$2 rate) with (plurality or multiple\$3) near\$5 sample\$3 and phase adj (detect\$4 or comparat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 14:47
S13	71	(plural\$3 or multiple) with (sample\$3) and (select\$3 or choos\$3) with (sample\$3) with (data adj rate)	USPAT	OR	OFF	2005/05/24 15:45
S14	8	(plural\$3 or multiple) with (sample\$3) and (select\$3 or choos\$3) with (sample\$3) with (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 15:49
S15	1	(select\$3 or choos\$3) with (first with second) with (multiple or plurality) with (sample\$3) with (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 15:51
S16	1	(select\$3 or choos\$3) with (first with second) with (sample\$3) with (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 15:51
S17	1	(select\$3 or choos\$3) with (first with second) with (sample\$3) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 15:51
S18	1	((select\$3 or choos\$3) with (first same second) with (sample\$3)) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 15:51

Search History 5/31/2005 6:31:56 AM Page 2
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S19	1	((select\$3 or choos\$3) with (first with (second or another)) with (sample\$3)) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 15:52
S20	6	((select\$3 or choos\$3) with (plurality or two or multiple or dual or several) with (sample\$3)) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 16:00
S21	2	((multiple or plurality) with (select\$3 or choos\$3 or mux or multiplexor\$3) with (plurality or two or multiple or dual or several) with (sample\$3)) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 16:01
S22	0	((multiple or plurality) with (mux or multiplexor\$3) with (sample\$3)) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 16:02
S23	5	((multiple or plurality or two or dual) with (mux or multiplexor\$3 or select\$3) with (sample\$3)) same (data adj rate) and clock adj recovery	USPAT	OR	OFF	2005/05/24 16:02
S24	77	((multiple\$3 or plurality or two or dual) with (mux or multiplexor\$3 or select\$3) with (sample\$3)) same data adj rate	USPAT	OR	OFF	2005/05/24 16:03
S25	27	((multiple\$3 or plurality or two or dual) with (mux or multiplexor\$3 or select\$3) with (sample\$3)) same (data adj rate) and phase adj (detect\$3 or comparat\$3)	USPAT	OR	OFF	2005/05/24 16:03
S26	7	((multiple\$3 or plurality or two or dual) with (mux or multiplexor\$3 or select\$3) with (sample\$3)) same (data adj rate) and phase adj (detect\$3 or comparat\$3) and clock adj (recovery or synchroniz\$5)	USPAT	OR	OFF	2005/05/24 16:57
S27	12	(multiple\$3 or set\$3 or plurality) with (mux or multiplexor\$3 or selector\$3) with (sample\$3) with (data adj rate)	USPAT	OR	OFF	2005/05/24 16:09
S28	14	(multiple\$3 or set\$3 or plurality) with (mux or multiplexor\$3 or selector\$3) with (sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:12

Search History 5/31/2005 6:31:56 AM Page 3
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S29	0	(select\$3) with (set\$3 or multiple\$3 or plurality) with (sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:12
S30	0	(select\$3) with (set\$3 or multiple\$3 or plurality) with (sample\$3) same (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:13
S31	0	(select\$3) with (set\$3 or multiple\$3 or plurality) with (sample\$3) same (data adj rate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:13
S32	0	(select\$3 or choos\$3) with (set\$3 or multiple\$3 or plurality) with (sample\$3) same (data adj rate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:14
S33	183551	(multiple\$3 or plurality or set\$3) with (sample\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:15
S34	732	(multiple\$3 or plurality or set\$3) with (sample\$3) same (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:15
S35	340	(multiple\$3 or plurality or set\$3) with (sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:15
S36	380	(multiple\$3 or plurality or set\$3) with (sample\$3) with (data adj rate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:15

Search History 5/31/2005 6:31:56 AM Page 4
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S37	27	(multiple\$3 or plurality or set\$3) with (sample\$3) with (data adj rate\$3) and clock adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:17
S38	4	(select\$3 or choos\$3 or decid\$3) with (multiple\$3 or plurality or set\$3) with (sample\$3) with (data adj rate\$3) and clock adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:17
S39	344	(select\$3) with (sample\$3) same ((PLL) or phase adj (detect\$4 or comparat\$4))	USPAT	OR	OFF	2005/05/24 16:58
S40	632	(select\$3) with (sample\$3) same ((PLL) or phase adj (detect\$4 or comparat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:58
S41	55	(select\$3) with (multiple or plurality or many) with (sample\$3) same ((PLL) or phase adj (detect\$4 or comparat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:59
S42	0	(select\$3) with (multiple or plurality or many) with (sample\$3) with (data adj rate) same ((PLL) or phase adj (detect\$4 or comparat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:59
S43	2	(select\$3) with (multiple or plurality or many) with (sample\$3) same (data adj rate\$3) same ((PLL) or phase adj (detect\$4 or comparat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:00
S44	16	(select\$3 or mux or multiplexor\$3) with (sample\$3) same (data adj rate\$3) same ((PLL) or phase adj (detect\$4 or comparat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:06
S45	92	(select\$3 or mux or multiplexor\$3) with (sample\$3) same (data adj rate\$3) and ((PLL) or phase adj (detect\$4 or comparat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:07

Search History 5/31/2005 6:31:56 AM Page 5
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S46	33	(select\$3 or mux or multiplexor\$3) with (sample\$3) same (data adj rate\$3) and ((PLL) or phase adj (detect\$4 or comparat\$4)) with (sample\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:12
S47	1	("4819251").PN.	USPAT; USOCR	OR	OFF	2005/05/24 17:13
S48	17	("5642386").URPN.	USPAT	OR	OFF	2005/05/24 17:26
S49	423	(multiple or plurality or many) with (select\$4 or mux or multiplexor\$3) with (sample\$3) and phase adj (detect\$3 or comparat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/24 17:27
S50	34	(multiple or plurality or many) with (select\$4 or mux or multiplexor\$3) with (sample\$3) and phase adj (detect\$3 or comparat\$4) and clock adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/24 17:28
S51	983	(select\$3 or separat\$3) with sample\$3 with clock and phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 11:23
S52	287	(select\$3 or separat\$3) with sample\$3 with clock and phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3) and clock adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 11:23
S53	73	(select\$3 or separat\$3) with sample\$3 with clock same phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3) and clock adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 11:24
S54	92419	(select\$3 or separat\$3) with sample\$3 with clock same data rate and phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3) and clock adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 11:24
S55	17	(select\$3 or separat\$3) with sample\$3 with clock same data adj rate and phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3) and clock adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:00

Search History 5/31/2005 6:31:56 AM Page 6
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S56	14	(select\$3 or separat\$3) with sample\$3 with data adj rate and phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3) and clock adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:06
S57	4	(select\$3 or separat\$3) with sample\$3 with data adj rate and phase adj (error or detect\$3 or compar\$5 or lock\$3 adj loop\$3) and clock adj data adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:07
S58	7	((("5138281") or ("5384551") or ("5436938") or ("5539345") or ("5712580") or ("5754080") or ("5926041")).PN.	USPAT; USOCR	OR	OFF	2005/05/25 12:08
S59	18	(multiple or plurality or many) with (mux or multiplexor or select\$3) with (sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:29
S60	23	(mux or multiplex\$5 or select\$3) with (plurality or multiple) with (sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:32
S61	19	(multiple or several or plurality) with (select\$3) with (sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:39
S62	48	(multiple or several or plurality) with (select\$3) with (sample\$3) with (data near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:39
S63	21	(multiple or several or plurality) with (select\$3) with (sample\$3) with (data near rate) and phase adj (detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:40
S64	2	(multiple or several or plurality) with (select\$3) with (sample\$3) with signal with (data near rate) and phase adj (detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:50

Search History 5/31/2005 6:31:56 AM Page 7
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S65	2	select\$3 with (multiple or several or plurality) with (sample\$3) with signal with (data near rate) and phase adj (detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:55
S66	1	select\$3 with (multiple or several or plurality) with (sample\$3) with signal with (data near rate) and clock adj data adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:51
S67	143	phase adj (detect\$3) with (select\$3) with (sample\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:55
S68	13	phase adj (detect\$3) with (select\$3) with (sample\$3) and clock with data adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 13:00
S69	10	phase adj (detect\$3) with (select\$3) with (sample\$3) with signal and clock with data adj (recovery or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 13:01
S70	11	(select\$3 or choos\$3) with (sample\$3) same (data adj rate) same (phase adj (detect\$3 or comparat\$3 or lock\$3 adj loop\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 13:21
S71	15	(select\$3 or choos\$3) with (sample\$3) same (data adj rate) same (phase adj (error or detect\$3 or comparat\$3 or lock\$3 adj loop\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 13:53
S72	7	(phase adj (detect\$3 or determin\$3 or compar\$4)) with (sample\$3 or symbol\$3) with (data adj rate) and ((tim\$3 adj recovery) or (clock adj data adj recovery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:15

Search History 5/31/2005 6:31:56 AM Page 8
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S73	2	(phase adj (detect\$3 or determin\$3 or compar\$4)) with (select\$3) with (sample\$3 or symbol\$3) with (data adj rate) and ((tim\$3 adj recovery) or (clock adj data adj recovery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:16
S74	17	select\$3 with (input) with (sample\$3) with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:19
S75	1	select\$3 with (input) with (sample\$3) with data adj rate same (phase adj (detect\$3 or compar\$5 or determin\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:17
S76	21	(select\$3 or group\$3) with (input) with (sample\$3) with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:19
S77	1	(select\$3 or group\$3) with (input) with (sample\$3) with data adj rate same (phase adj (detect\$3 or comparat\$3 or determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:26
S78	4	(select\$3 or group\$3) with (input) with (sample\$3) with data adj rate and (phase adj (detect\$3 or comparat\$3 or determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:28
S79	1	(select\$3 or group\$3) with (input) with (sample\$3) with data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:28
S80	6	(select\$3 or group\$3) with (sample\$3) with data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:31

Search History 5/31/2005 6:31:56 AM Page 9
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S81	3	(select\$3 or group\$3) with (first and second) with (sample\$3) with data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:32
S82	1	(select\$3) with (multiple or plurality) with (sample\$3) with data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:33
S83	1	(select\$3) with (multiple or plurality) with (sample\$3) same data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:34
S84	1	(select\$3 or multiplex\$3) with (multiple or plurality) with (sample\$3) same data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:34
S85	11	(select\$3 or multiplex\$3) with (sample\$3) same data adj rate and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:36
S86	0	(select\$3 or multiplex\$3) with (sample\$3) with (data adj signal) with (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:37
S87	6	sample\$3 with data and (select\$3 or multiplex\$3) with (sample\$3) with (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:38
S88	6	sample\$3 with data and (select\$3 or multiplex\$3 or group\$3) with (sample\$3) with (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:38

Search History 5/31/2005 6:31:56 AM Page 10
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S89	6	sample\$3 with data and (select\$3) with (sample\$3) with (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:39
S90	1	(multiple or many or plurality) with (multiplex\$5 or mux\$3 or select\$3) with (sample\$3) with (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:40
S91	5	(multiple or many or plurality) with (multiplex\$5 or mux\$3 or select\$3) same (sample\$3) same (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:42
S92	2	(select\$3 or choos\$3) with (multiple or many or plurality or several or sets\$3 or group\$3) with (sample\$3) same (data adj rate) and (clock adj data adj recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:44
S93	1133	oversample\$3 same select\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:44
S94	21	oversample\$3 same select\$4 and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:45
S95	36	oversample\$3 and select\$4 with (sample\$3) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:45
S96	36	oversample\$3 and select\$4 with (sample\$3) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:54

Search History 5/31/2005 6:31:56 AM Page 11
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S97	8	select\$4 with (sample\$3) with data adj rate and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:56
S98	1	(select\$3 or choos\$4 or group\$3) with (input with sample\$3) with (data adj rate) and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:57
S99	21	(select\$3 or choos\$4 or group\$3) with (input with sample\$3) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:57
S100	3675	(select\$3) with sample\$3 with base\$3	USPAT	OR	OFF	2005/05/26 15:17
S101	213	serializ\$5 with sample\$3	USPAT	OR	OFF	2005/05/26 15:24
S102	1	serializ\$5 with sample\$3 with data adj rate	USPAT	OR	OFF	2005/05/26 15:27
S103	104	(select\$3 or serializ\$5) with sample\$3 with data adj rate	USPAT	OR	OFF	2005/05/26 15:28
S104	2	(select\$3 or serializ\$5) with sample\$3 with data adj rate and (clock adj data adj (synchron\$6 or recovery))	USPAT	OR	OFF	2005/05/26 15:30
S105	2	(select\$3 or serializ\$5) with (sample\$3 or symbol\$5 or word) with data adj rate and (clock adj data adj (synchron\$6 or recovery))	USPAT	OR	OFF	2005/05/26 15:31
S106	2	(select\$3 or serializ\$5) with (sample\$3 or symbol\$4 or word\$4) with data adj rate and (clock adj data adj (synchron\$6 or recovery))	USPAT	OR	OFF	2005/05/26 15:31
S107	7	(select\$3 or serializ\$5) with (sample\$3 or symbol\$4 or word\$4) with data adj rate and (clock adj data adj (synchron\$6 or recovery))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:18
S108	75	(375/355) CQLS, and select\$3 with sample\$3 with control	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:19

Search History 5/31/2005 6:31:56 AM Page 12
C:\Documents and Settings\Wong\My Documents\EA\Workspaces\10026371_1.wsp

S109	32	(375/355).CCL.S. and select\$3 with sampl\$3 with control and phase adj (detect\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:54
S110	160	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 with sample\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:54
S111	219	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 with sampl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:54
S112	89	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 with sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:55
S113	65	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 adj7 sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:55
S114	57	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 adj5 sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:56
S115	26	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 adj5 sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3) with sample\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 16:56
S116	34	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 adj5 sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3) with sampl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 17:18
S117	11	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 with (multiple or plurality) with sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3) with sampl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 17:18
S118	19	(375/355).CCL.S. and sampl\$3 adj6 clock and select\$3 with (multiple or plurality) with sampl\$3 and phase adj (detect\$3 or comparat\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 17:27
S119	1	(*4819251*).PN.	USPAT; USOCR	OR	OFF	2005/05/26 17:27
S120	36	(375/355).CCL.S. and clock adj data adj recovery	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 17:58

Search History 5/31/2005 6:31:56 AM Page 13
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S121	4	(375/355).CCL.S. and clock adj data adj recovery and first adj sample\$3 and second adj sample\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:16
S122	0	clock adj data adj recovery and (first adj sample\$3 and second adj sample\$3) with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:17
S123	0	(clock adj data) with (recovery or synchroniz\$4) and (first adj sample\$3 and second adj sample\$3) with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:17
S124	10	(clock adj data) with (recovery or synchroniz\$4) and (first and second) with sample\$3 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:20
S125	10	(clock adj data) with (recovery or synchroniz\$4) and (multiplexor\$3 or mux\$3 or select\$4) with (sampl\$5) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:27
S126	22	(clock adj data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:28
S127	1	(clock adj data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (data adj rate) with (buffer or register)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:28
S128	1	(clock adj data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (data adj rate) with (buffer\$3 or register\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:32
S129	41	(clock adj data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:32
S130	3	(clock adj data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3) same data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:33
S131	3	(clock adj data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3) and select\$3 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:34

Search History 5/31/2005 6:31:56 AM Page 14
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S132	14	(clock with data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3) and select\$3 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:44
S133	35	(clock with data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:45
S134	8	(clock with data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3) with (cycle or period) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:49
S135	74	(clock with data) with (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (cycle or period) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:45
S136	0	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (buffer\$3 or register\$3) with (cycle or period) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:49
S137	9	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with (cycle or period) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:52
S138	51	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) with (sampl\$5) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:54
S139	22	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj3 (sampl\$5) with clock adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:55
S140	3	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj3 (sampl\$5) with clock adj signal with input adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:55
S141	231872	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj3 (sampl\$5) with input signal with clock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:55

Search History 5/31/2005 6:31:56 AM Page 15
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp

S142	4	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj3 (sampl\$5) with input adj signal with clock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:56
S143	141	(clock adj data) adj4 (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj5 (sampl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:57
S144	136	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj5 (sampl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:57
S145	21	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj5 (sampl\$5) with (cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:58
S146	5	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj5 (sampl\$5) with clock adj3 (cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:58
S147	9	(clock adj data) adj (recovery or synchroniz\$4) and (plurality or multiple or many or several) adj5 (sampl\$5) with clock near4 (cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/26 18:58

Search History 5/31/2005 6:31:56 AM Page 16
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\10026371_1.wsp